


# TRITON

Bi-directional Tethered Robotic  
Inspection Crawler Solutions for  
Challenging, Unpiggable Pipelines.



- > Targeted or continuous internal inspection for liquid pipelines.
- > Multiple advanced NDT technologies, including ART, enabling maximum efficiency in continuous inspections.
- > Tethered motorised crawler with fail-safe propulsion system.

# TRITON

## Advanced Technology for Unpiggable and Challenging Pipelines.

TSC Subsea's innovative bi-directional tethered motorised robotic crawler, TRITON, is setting a new benchmark for internal pipeline integrity assessments.

Designed specifically for non-piggable or challenging-to-inspect pipelines, TRITON combines advanced Non-Destructive Testing (NDT) technologies with versatile inspection capabilities to deliver unparalleled inspection results.

TRITON offers two flexible inspection modes:

- > **Targeted Inspection:** The crawler navigates to an area of interest, stops, and conducts a detailed, localised inspection.
- > **Continuous Inspection:** Similarly to traditional In-Line Inspection (ILI), the crawler continuously scans the pipeline as it drives.


TRITON can perform a wide range of critical integrity assessments, including corrosion mapping, wall thickness measurements, crack detection and sizing, and 360-degree volumetric weld inspection.

### TRITON ROBOTIC CRAWLER

TRITON integrates triple independently powered expandable tracks with an adaptable tripod chassis, enabling inspections across a wide range of pipe sizes and orientations.

Power and data are delivered through an umbilical system, providing real-time inspection data directly to the operator.

Engineered for versatility, TRITON navigates horizontal and vertical sections, multiple 90-degree bends, and operates in dry or wet environments. Its rugged anodized aluminium and stainless-steel construction ensures durability, while powerful LED lighting and high-resolution cameras provide clear visual assessments in harsh conditions.



## CONTINUOUS INSPECTION

### 360-degree, 100% scan coverage

The field-proven Acoustic Resonance Technology (ART) ultrasonic module offers the same advantages as traditional in-line inspection (ILI), providing continuous, sub-millimetre wall thickness measurements in liquid pipelines, including challenging areas like bends and heat-affected zones. Unlike other NDT technologies, ART probes are non-contact, requiring minimal cleaning and demonstrating greater tolerance to varying surface conditions, internal debris, and sludge.

- > 100% Wall thickness measurements.
- > Laminations.
- > Ovality.
- > Coating degradation.
- > Internal surface mapping.



## TARGETED INSPECTION

### Drive, stop, and scan.

The compact robotic scanner, equipped with interchangeable probe mounting modules, supports a variety of NDT technologies, including ACFM, PAUT, ToFD, PEC and laser scanning. Designed for versatility, the TRITON crawler pushes or pulls the module to the area of interest. Once in position, it can perform a full 360-degree rotation independently, making it an ideal solution for weld integrity assessments and targeted high resolution corrosion mapping.

- > 360-degree volumetric weld inspection.
- > Crack detection and sizing.
- > Targeted localised corrosion mapping.
- > Targeted localised laser scanning.
- > Geometry and ovality.



## TRITON SPECIFICATIONS

Pipe diameters range	200 mm - 1066 mm (8 in - 42 in)
Maximum tether length	Up to 1600 m (4000 ft) as standard
Maximum speed	3.6 m (12 ft) - 9.2 m (30 ft) per minute - technology specific
Depth rating	150 m (492 ft) as standard - 300 m Plus upon request
Pressure	30 bar
Minimum bend radius	3D - application specific
Power requirements	100-240VAC 50/60Hz 5A or 3P 415VAC 50Hz @ 63A
Vehicle weights	8.5 kg (19 lb)
Winch system	Fail-safe high-power winch offers a backup retrieval option
Camera	Full HD Pan, Tilt and Zoom (PTZ)
Lighting	3 - 6 auxiliary LED lights
	<ul style="list-style-type: none"> <li>&gt; Acoustic Resonance Technology (ART)</li> <li>&gt; Remote Visual Inspection (RVI)</li> </ul>
NDT technology options	<ul style="list-style-type: none"> <li>&gt; Alternating Current Field Measurement (ACFM®)</li> <li>&gt; Acoustic Resonance Technology (ART)</li> <li>&gt; Phased Array Ultrasonics (PAUT)</li> <li>&gt; Pulsed Eddy Current (PEC)</li> <li>&gt; Remote Visual Inspection (RVI)</li> <li>&gt; Laser Scanning</li> </ul>

### UK

Unit 31  
Cwmdu Industrial Estate  
Swansea SA5 8JF  
UNITED KINGDOM

T: +44 (0)1908 317444

### NORWAY

Glasskaret 1  
5106 Øvre Ervik  
Hordaland,  
NORWAY

### BRAZIL

Campo de São Cristóvão, 58  
Rio de Janeiro  
RJ - 20921-440  
BRAZIL

### US

c/o NDT Global LLC  
15500 International Plaza Dr,  
Houston, TX 77032,  
USA

### AUSTRALIA

Unit 7, 1 President St  
Welshpool WA  
Australia 6106,  
AUSTRALIA